



Slash® Late Model (Model 104364-74) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

3788A	Ball bearing kit, Slash® VXL/Bandit® VXL/Stampede® VXL/Rustler® VXL with 272R Transmission (complete)
3788R	Ball bearing kit, stainless steel, Slash® VXL/Bandit® VXL/Stampede® VXL/Rustler® VXL with 272R™ Transmission (complete)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
10417	Body cage (front & rear, left & right) (fits #10411 body)
10414	Body cage, driver/ retainers (3) (fits #10411 body)
10410	Body complete kit (fits #10411 body)
10413	Body reinforcement set (front & rear) (fits #10411 body)
10415	Body reinforcement set, side (front, middle, rear) (left & right) (fits #10411 body)
10429	Body spacer/ clip (for #10423 body)
10428	Body support, front/ mount (for #10423 body)
10416	Body washers (2)/ roof washers (5)/ 3x10mm CCS (7) (fits #10411 body)
10423	Body, Slash® Late Model (clear, untrimmed, requires painting)/ body interior/ decal sheets/ hardware (includes front & rear body latches and body support for clipless mounting)
10426	Body, Slash® Late Model (clear, untrimmed, requires painting)/ decal sheets
10423-BLUE	Body, Slash® Late Model, blue (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10423-FOX	Body, Slash® Late Model, Fox Edition (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10423-GRN	Body, Slash® Late Model, green (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10423-PINK	Body, Slash® Late Model, pink (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10423X	Body, Slash® Late Model, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheets
10423-RED	Body, Slash® Late Model, red (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10411	Body, Slash® Modified (clear, trimmed, requires painting)/ decal sheets
10411-BLUE	Body, Slash® Modified, blue (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10411-GRN	Body, Slash® Modified, green (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10411-ORNG	Body, Slash® Modified, orange (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10411-PINK	Body, Slash® Modified, pink (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
10411X	Body, Slash® Modified, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheets
10411-RED	Body, Slash® Modified, red (painted, decals applied) (assembled with front & rear body latches and body support for clipless mounting)
2514	Decal sheet, racing sponsors
10421	Decal sheets, Slash® Modified (2)
10425	Interior, Slash® Late Model (black)/ decal sheet
10419	Interior, Slash® Modified, black (painted)/ decal sheet
10412	Latch, body mount (front & rear)/ front body support (fits #10411 body)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
10424	Wing, Slash® Late Model/ mounts (left & right)
10418	Wing, Slash® Modified (black)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
10422	Body mounts (front & rear) (for clipless body mounting)
6940	Body mounts (front & rear) (for clipless body mounting)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
10436	Bumper, front (upper (1), lower (1))
5836	Bumper, rear/ bumper mount, rear (black)
5836P	Bumper, rear/ bumper mount, rear (pink)
5830	Chassis conversion kit, low CG (Slash®)
5832	Chassis, low CG (black)
5832A	Chassis, low CG (blue)
5832G	Chassis, low CG (grey)
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
5827X	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)
5831	Lower chassis, low CG (black)
5831A	Lower chassis, low CG (blue)
5831G	Lower chassis, low CG (grey)
5833	Nerf bars, low CG (black)
5833A	Nerf bars, low CG (blue)
5833G	Nerf bars, low CG (grey)
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)

Differential Components

9480A	Differential assembly, center, complete (fits Pro Series Magnum 272R™ Transmission)
9482	Differential gasket/ x-rings (2)
9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
9483	Output gears, differential (2)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
1647	Silicone Grease

Driveline Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9057X	Differential output shafts, steel-splined constant-velocity (2)
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)

Page 2 Slash® Late Model: TQ™ 2.4GHz Radio (Model 104364-74) Parts List

6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9052X	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9055X	Half shaft, external splined (steel-spline constant velocity) (1)
6750	Half shaft, external splined (steel-spline constant velocity) (1)
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)
6751	Half shaft, internal splined (steel-spline constant velocity) (1)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6754	Stub axle, front, steel-splined constant velocity (1)
6753	Stub axle, rear, steel-splined constant velocity (1)
9053X	Stub axle, rear, steel-splined constant velocity (1)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)

Extreme HD Upgrade Kit

9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-BLUE	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9181	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Slash® 2WD)
9181-BLUE	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Slash® 2WD)
9181-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Slash® 2WD)
9181-GRN	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Slash® 2WD)
9181-ORNG	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Slash® 2WD)
9181-RED	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Slash® 2WD)
3638R	Shock tower (rear) (for clipless body mounting)
9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)

9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)

Front Suspension & Steering

3637	Axles (front) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (grey)
9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-BLUE	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3639	Shock tower (front)
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
3631X	Suspension arms, black, front, heavy duty (2)
3631A	Suspension arms, blue, front, heavy duty (2)
3631G	Suspension arms, green, front, heavy duty (2)
3631T	Suspension arms, orange, front, heavy duty (2)
3631R	Suspension arms, red, front, heavy duty (2)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
2532	Tie bar, fiberglass
1935	Turnbuckles, 36mm (2)

Page 3 Slash® Late Model: TQ™ 2.4GHz Radio (Model 104364-74) Parts List

3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
4859	CS 3x10 flathead (hex drive)
1589	Double-sided adhesive tape (25mm x 25mm)
1633	E-clips/ C-rings
9488	Hardware kit, Slash® VXL/Bandit® VXL/Stampede® VXL/Rustler® VXL (contains all hardware used on Slash® VXL, Bandit® VXL, Stampede® VXL, or Rustler® VXL with 272R Transmission)
9488X	Hardware kit, stainless steel, Slash® VXL/Bandit® VXL/Stampede® VXL/Rustler® VXL (contains all stainless steel hardware used on Slash® VXL, Bandit® VXL, Stampede® VXL, or Rustler® VXL with 272R Transmission)
2745	Nuts, 3mm nylon locking (12)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6) (use with #3744)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3967	Shoulder screws 3x10 (6) (without threadlock)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)

3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)
3383	BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3340	Cooling fan, electronic speed control, Velineon® VXL-3s, VXL-4s or BL-2s™
3790	Gear adapter, fixed
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
3384	Motor, BL-2s™ 3300, brushless
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))

Radio System, Batteries & Chargers

2827X	3000mah 7.4v 2-Cell LiPo Battery
2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
2926X	3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell
2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
2941X	3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell
2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
2951X	4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2960X	5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell
2961X	5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell
2844R	5200mAh 7.4v 2-cell 35C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2970-2SR	Battery/Charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))
2985-2S	Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
2982	Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
6525	Communication link, telemetry expander
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)

Page 4 Slash® Late Model: TQ™ 2.4GHz Radio (Model 104364-74) Parts List

2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6554X	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
2912	Power adapter, AC, USB-C (45W) (110 volt, North America only)
2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509A	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507A	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
6537	Wire retainers, gear cover/ 3x4mm BCS (2)

Ready-To-Race Model

104364-74	Slash® Late Model: 1/10-Scale 2WD Oval Racer with TQ™ 2.4GHz radio system
-----------	---

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
3638R	Shock tower (rear) (for clipless body mounting)
2555X	Suspension arms, black, rear, heavy duty (2)
2555A	Suspension arms, blue, rear, heavy duty (2)
2555G	Suspension arms, green, rear, heavy duty (2)
2555T	Suspension arms, orange, rear, heavy duty (2)
2555R	Suspension arms, red, rear, heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
------	--

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTR)

7466X	Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
7466-PINK	Body, GTR long (pink-anodized, PTFE-coated aluminum) (1)
7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G	Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7466A	Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7466R	Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7467X	Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
7467-PINK	Body, GTR xx-long (pink-anodized, PTFE-coated aluminum) (1)
7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467G	Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7467A	Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7467R	Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469	Rod ends (GTR shocks)
7464T	Shaft, GTR long, TiN-coated (2)
7465T	Shaft, GTR xx-long, TiN-coated (2)
7461	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461-ORNG	Shocks, GTR long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461-PINK	Shocks, GTR long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461-RED	Shocks, GTR long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461X	Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7462-GRAY	Shocks, GTR xx-long (gray) (assembled) (2) (without springs)
7462	Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-ORNG	Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-PINK	Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-RED	Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462X	Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
8459	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
5427	Spring, shock (GTR) (front 0.7 yellow) (1 pair)
5428	Spring, shock (GTR) (front) (0.9 rate orange) (1 pair)
5432	Spring, shock (GTR) (front) (1.3 rate gold) (1 pair)
5429	Spring, shock (GTR) (rear) (1.0 rate tan) (1 pair)
5431	Spring, shock (GTR) (rear) (1.2 rate silver) (1 pair)
5430	Spring, shock (GTR) (std. front) (1.1 rate green) (1 pair)

Page 5 Slash® Late Model: TQ™ 2.4GHz Radio (Model 104364-74) Parts List

5433	Spring, shock (GTR) (std. rear) (1.4 rate pink) (1 pair)
5940	Spring, shock (red) (GTR) (1.8 rate double green stripe) (1 pair)
5941	Spring, shock (red) (GTR) (2.0 rate double black stripe) (1 pair)
5942	Spring, shock (red) (GTR) (2.3 rate double purple stripe) (1 pair)
5434	Spring, shock (white) (GTR) (1.6 rate blue) (1 pair)

Slipper Clutch Components

9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

9491	Gear adapter set, fixed (48-pitch)
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft) / set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft) / set screw
2429	Gear, 29-T pinion (48-pitch) (fits 3mm shaft) / set screw
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1) / rod ends (2) / hollow balls (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2742	Rod ends, long (6) / hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
3744	Servo saver w/ adapters
3967	Shoulder screws 3x10 (6) (without threadlock)
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum) / 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum) / 5x8mm ball bearings (4) / hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum) / 5x8mm ball bearings (4) / hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) / 5x8mm ball bearings (4) / hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum) / 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
1935	Turnbuckles, 36mm (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

5525	Rod ends (12) / hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit®/ Stampede®)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2) / hollow balls, captured (4)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit®)

3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone Grease
2754	Stub axle pins (4)
10473X	Tires & wheels, assembled, glued (dirt oval, graphite gray wheels, Hoosier® tires, foam inserts) (2) (2WD front only)
10474X	Tires & wheels, assembled, glued (dirt oval, graphite gray wheels, Hoosier® tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
10473R	Tires & wheels, assembled, glued (dirt oval, graphite gray wheels, Hoosier® tires, molded foam inserts) (2) (2WD front only)
10474R	Tires & wheels, assembled, glued (dirt oval, graphite gray wheels, Hoosier® tires, molded foam inserts) (2) (4WD front/rear, 2WD rear only)
10476	Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner, Hoosier® tires, foam inserts) (2) (2WD front)
10475	Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner, Hoosier® tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
10470X	Tires, Hoosier® (dual profile 4.3x1.7- 2.2/3.0") (2) / foam inserts (2)
10457-GRAY	Wheel discs (gray) (4)
10457-GRN	Wheel discs (green) (4)
10457-WHT	Wheel discs (white) (4)
10457-YLW	Wheel discs (yellow) (4)
1654	Wheel hubs, hex (2) / stub axle pins (2)
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2) / axle pins(2)
3654	Wheel hubs, hex (front) (tall offset) (2) / axle pins (2.5x10mm) (2)
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4) / hub retainer M4 X 0.7 (4) / axle pin (4) (Slash 2WD)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
10471X	Wheels, dirt oval, graphite gray, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
10472X	Wheels, dirt oval, graphite gray, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)

Transmission Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9489	Cover, gear
9480A	Differential assembly, center, complete (fits Pro Series Magnum 272R™ Transmission)
9482	Differential gasket/ x-rings (2)

Page 6 Slash® Late Model: TQ™ 2.4GHz Radio (Model 104364-74) Parts List

9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
9493	Gearbox halves, left & right/ differential cover (charcoal gray)
5148	Grease, white lithium
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
9483	Output gears, differential (2)
9490	Plate, motor, 6061-T6 aluminum (blue-anodized) (3.2mm thick)
9490L	Plate, motor, lightweight machined 6061-T6 aluminum (blue-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490X	Plate, motor, lightweight machined 6061-T6 aluminum (blue-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490T	Plate, motor, lightweight machined 6061-T6 aluminum (gray-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490G	Plate, motor, lightweight machined 6061-T6 aluminum (green-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490A	Plate, motor, lightweight machined 6061-T6 aluminum (orange-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490P	Plate, motor, lightweight machined 6061-T6 aluminum (pink-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
9490R	Plate, motor, lightweight machined 6061-T6 aluminum (red-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
1647	Silicone Grease
5556	Slipper pressure plate & hub (aluminum alloy)
9464	Wheelie bar mount (heavy duty)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3425	Rubber pit mat, 16x24x0.28
3426	Rubber pit mat, 36x20
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail support@Traxxas.com

TRAXXAS.COM